

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

**Effective From** 01 March, 2021

**Classified as hazardous according to criteria of Worksafe Australia**

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

#### 1.1 Product Identifier

Trade Name: Baxta Screeded Level Render - SLR  
Other Names: None Listed  
Product Code: 4426

#### 1.2 Relevant identified uses of the product

Application: Cement render for interior and exterior applications

#### 1.3 Details of the supplier:

**Company Details** Baxta Industries Pty Ltd (ABN 83 169 581 382)  
**Address** Unit 1/47 Newheath Dr, Arundel QLD 4214  
**Telephone/Fax** 1300 85 22 40  
**Emergency Telephone** Note: For the most up-to-date information for this data  
**Other Information** sheet, please refer to the Baxta website. [www.baxta.com.au](http://www.baxta.com.au)

The information contained in this safety data sheet is accurate on the date of issue and in accordance with the information available at that time. Persons dealing with products referred to in this safety data sheet do so at their own risk. Baxta accepts no liability whatsoever for damage or injury, however caused, arising from use of this information or of suggestions contained herein.

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of product** Skin Irritation. 2. H315; Eye Irritation. 2A H319; STOT SE. 3. H335; STOT RE. 2 H373

#### 2.2 Label Element

Pictograms:



Signal Word:

Hazard Statements:

WARNING

H319	Causes serious eye irritation
H373	May cause damage to organs through prolonged or repeated exposure
H335	May cause respiratory irritation
	Causes skin irritation

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### Precautionary Statements:

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapours/spray. A P2 dust mask or respirator should be worn during mixing.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305	IF IN EYES:
P332+P313	If skin irritation occurs: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P501	Dispose of contents/container in accordance with local regulations.

### 2.3 Other Hazards

Other Hazards: Not relevant

## SECTION3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

The product contains: cement

The following substances shall be indicated according to legislation:

%	CAS-No.	Chemical Name	Hazard Classification
70-90%	-	Non Hazardous	Not Relevant
10-30%	65997-15-1	Portland Cement	STOT SE 3;H335 Skin Irritation. 2;H315 Eye Irritation. 2;H319 STOT RE 2;H373

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation:	Move subject to fresh air. Monitor and consult physician if concerned.
Skin Contact:	Wash affected areas thoroughly with soap & water. Consult a physician if irritation persists.
Eye Contact:	Flush eyes with large amount of water for at least 15 minutes, holding the eyelids apart. Consult a physician if irritation persists.
Ingestion:	Flush mouth with copious quantities of water. Consult a physician.

### 4.2 Symptoms caused by exposure

Inhalation:	Move subject to fresh air. Monitor and consult physician if concerned.
Skin Contact:	Dust may irritate moist skin. Prolonged exposure could result in allergic reaction such as a rash or burning sensation.
Eye Contact:	Contact with eye can cause permanent eye damage – immediately seek first aid.
Ingestion:	Can cause irritation to the throat and stomach.

### 4.3 Medical Attention and Special Treatment

Not relevant.

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 Suitable extinguishing media

Extinguishing media: Non Flammable Material. Use suitable extinguishing media for the surrounding area.

#### 5.2 Specific hazards

Not relevant.

#### 5.3 Special protection equipment and precautions for firefighters

Firefighters: When water is to be used as an extinguishing media, chemical-resistant clothing should be used along with respiratory protection.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation or contact with skin.

#### 6.2 Environmental precautions

Environmental precautions: Do not allow this product to be released in to storm water drains, creeks or open bodies of water. Dump in accordance with local regulations.

#### 6.3 Methods and materials for containment and cleanup

Cleaning up spillage: Vacuum where possible. Sweep with a brush or broom.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Safe handling: Avoid contact with skin and eyes. Avoid dust.

#### 7.2 Conditions for safe storage, including any incompatibilities

Incompatibilities: None known

Storage: Not relevant.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters

Occupational exposure limits:

CAS-No.	Chemical Name	Exposure Limits	Type	References
65997-15-1	Portland Cement, respirable dust	3 mg/m <sup>3</sup>	TWA	USECHH 2000
65997-15-1	Portland Cement, inhalable dust	10 mg/m <sup>3</sup>	TWA	USECHH 2000

#### 8.2 Exposure Controls

Engineering measures: Provide adequate ventilation. Observe occupational exposure limits and minimise the risk of inhalation of dust.

Personal protection: Personal protection equipment should be chosen in discussion with the supplier of the personal protective equipment.

Respiratory equipment: During dust-raising work: Use respiratory equipment with particle filter.

Hand protection: Wear protective gloves. Nitrile gloves are recommended, other types of gloves can be recommended by the glove supplier.

Eye protection: Wear goggles/face shield.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

Environmental Exposure Controls:

Not available.

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Physical and Chemical Properties

Appearance:	Grey powder
Odour:	Cement
Odour Threshold:	Not relevant
pH:	Alkaline (approx. 12 – when mixed with water)
Flash point:	Not relevant
Solubility in water:	Miscible in water
Stability:	Stable

#### 9.2 Other Information

Volatile Component:	Not relevant
Auto Ignition Temp:	Not relevant

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

Reactivity:	None known
-------------	------------

#### 10.2 Chemical stability

Chemical stability:	Product is stable under normal temperature conditions.
---------------------	--

#### 10.3 Conditions to avoid

Conditions/materials to avoid:	This product will harden with the addition of water or moisture.
--------------------------------	--

#### 10.4 Incompatible materials and possible hazardous reactions

Incompatible materials:	None known
Hazardous reactions:	Not relevant

#### 10.5 Hazardous decomposition products

Hazardous decomposition products:	Not relevant
-----------------------------------	--------------

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information and symptoms related to exposure

Acute Toxicity:	No data available
Skin Corrosion/Irritation:	Repeated or prolonged exposure to skin can cause dermatitis.
Serious Eye Damage/Irritation	Exposure can cause conjunctivitis, blepharitis and general irritation to the eyes.
Respiratory or Skin Sensitisation:	Dust can irritate airways. Prolonged exposure may cause coughing or wheezing.
Germ Cell Mutagenicity:	No data available.
Specific Target Organ Toxicity (STOT)	
Single Exposure:	No data available.
Repeated Exposure:	Repeated exposure over a long period of time may cause coughing with phlegm, shortness of breath and wheezing.
Aspiration Hazard:	No data available.

#### 11.2 Numerical measures of toxicity

Numerical measures:	No data available.
---------------------	--------------------

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### 11.3 Immediate, delayed or chronic health effects from exposure

Immediate:	Irritation of the eyes, skin and respiratory tract.
Delayed:	Allergic skin reaction, coughing and wheezing.
Chronic:	Increased chance of bronchitis, conjunctivitis, ulcers of the nose and dermatitis.

### 11.4 Exposure levels

Exposure levels:	Increased chance of bronchitis, conjunctivitis, ulcers of the nose and dermatitis.
------------------	--

### 11.5 Interactive effects

Inhalation:	Respiratory conditions such as asthma can increase risk of coughing and wheezing.
Skin contact:	Sensitivity of the skin can lead to greater risk of allergic skin reactions.

### 11.6 Data limitations

Data limitations:	Not relevant.
-------------------	---------------

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

EcoToxicity:	This product is not expected to be hazardous to the environment.
--------------	--

### 12.2 Degradability

Degradability:	When mixed with water, this product will form into a hard mass that is non-degradable.
----------------	--

### 12.3 Bio-accumulative Potential

Bio-accumulative potential:	No data available.
-----------------------------	--------------------

### 12.4 Mobility in soil

Mobility in soil:	No data available.
-------------------	--------------------

### 12.5 Other adverse effects

Other adverse effects:	None known.
------------------------	-------------

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste disposal

Waste disposal	Dispose of waste in accordance with local regulations. Waste is considered hazardous. Material that has hardened (with the addition of water) is considered non-hazardous. The packaging is 100% recyclable, remove all traces of mixture from bag and dispose of in a recycling bin. Do not allow product to enter sewerage system as this will block the sewerage system.
----------------	---

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

UN number:	None allocated
------------	----------------

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### 14.2 Proper shipping name

Proper shipping name: None allocated

### 14.3 Transport hazard class

Transport hazard class: None allocated

### 14.4 Packing group

Packing group: None allocated

### 14.5 Environmental hazards

Environmental hazards: Not relevant

### 14.6 Special precautions during transport

Special precautions: Not relevant

### 14.7 Hazchem code

Hazchem code: Not relevant

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations specific for the product

Regulations: Not relevant

### 15.2 Poisons Schedule number

Schedule number: Not relevant

# Safety Data Sheet

## Baxta Screeded Level Render - SLR

<b>Effective From</b>	01 March, 2021
-----------------------	----------------

### SECTION 16: OTHER INFORMATION

This SDS has been compiled on the date at the top of the first page. The SDS is reviewed every 5 years, the latest version is available on the Baxta website, [www.baxta.com.au](http://www.baxta.com.au). This SDS has been prepared as a completely renewed document to bring into line with the Code of Practice – Preparation of Safety Data Sheets for Hazardous Chemicals, February 2016.

This SDS will be updated from time to time, whenever new information becomes available or if there is a formulation change.

GHS means Globally Harmonized System

CAS means Chemical Abstract Service

TWA means Time Weighted Average

USECHH means Use and Standard of Exposure Chemical Hazardous to Health

STOT means Specific Target Organ Toxicity

STOT SE means Specific Target Organ Toxicity – Single Exposure

STOT RE means Specific Target Organ Toxicity – Repeated Exposure

Mg/m<sup>3</sup> milligrams per cubic metre

This SDS has been prepared using information provided by the manufacturers of the ingredients contained in this product. This product is a mixture of ingredients.

I \_\_\_\_\_ have been trained in the safe use of this material.

Date \_\_\_\_\_ Signature \_\_\_\_\_

.....END OF SDS.....

This SDS has been developed according to Worksafe Australia / NOHSC guidelines